

09/696, 956

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	409385	dual nea3 antenna\$1 and antenna near3 mixer and mixing near3 (down near3 convert\$3 or intermediate near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:02
L2	1	dual near3 antenna\$1 and antenna near3 mixer and mixing near3 (down near3 convert\$3 or intermediate near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:04
L3	14	two near3 antenna\$1 and antenna near3 mixer and mixing near3 (down near3 convert\$3 or intermediate near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:25
L4	1	("3766559").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:09
L5	7	("3177489" "3246327" "3309706" "3670335").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:11
L6	10	("3766559").URPN.	USPAT	OR	ON	2005/09/29 09:14
L7	7	(inferometer).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:15
L8	0	compar\$5 near3 frequency near3 antenna\$1 and deriv\$5 near3 (angle or bearing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:18
L9	7	compar\$5 near3 frequency near3 antenna\$1 and deriv\$5 near3 (angle or bearing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:20
L10	6	bridge and compar\$5 near3 frequency and antenna\$1 and deriv\$5 near3 (angle or bearing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:21
L11	16	rf near2 bridge and frequency and antenna\$1 and (angle or bearing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:21
L12	3	two near3 antenna\$1 and antenna near3 mixers and compar\$3 near3 intermediate near2 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:27

L13	924	two near3 antenna\$1 and measur\$4 near3 frequency and (angle or bearing\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:28
L14	93	13 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 reference	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:29
L15	0	13 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 reference near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:30
L16	0	13 and (adjust\$5) near3 reference near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:29
L17	28	13 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 reference near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:34
L18	456	angle near3 measur\$6 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 oscillator near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:35
L19	108	frequency near1 difference and angle near3 measur\$6 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 oscillator near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:35
L20	19	("4169245" "4870420" "4977365" "5198748" "5255000" "5265121" "5334984" "5404144" "5465097" "5477230" "5497161" "5541608" "5572213" "5936575" "6140963" "6195043" "6239747" "6255991" "6313795").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:38
L21	5	("4626859" "4876549" "5497161" "5559518" "5568154").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:38
L22	12	("3449748" "3500414" "3540053" "4034376" "4170774" "4443801" "4486757" "4532515" "H000922").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:39
L23	5	("3369235" "4103304" "4219821" "4275397").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:40
L24	11	("4017859" "4546354" "4563686" "4996533" "5102219" "5198748" "5235287" "5262837" "5280288" "5285209" "5302957").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:47

L25	5	(measur\$5 or detect\$4) near3 angle and D/A near3 oscillator	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:48
L26	3	angle and measur\$5 near3 frequency and D/A near3 oscillator	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:49
L27	43	(angle or inferometer) and D/A near3 oscillator	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:52
L28	5392	(angle or inferometer) and control\$4 near3 oscillator near3 frequency	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:53
L29	65	(angle or inferometer) and plural\$4 near3 mixers and control\$4 near3 oscillator near3 frequency	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:57
L30	53	measur\$4 near3 angle and adjust\$4 near3 oscillator near3 frequency and (microprocessor or controller or processor)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 10:04
L31	11	("3346859" "3365719" "3728724" "3848253" "3975734" "4005421" "4034373" "4038658" "4064510").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 10:01
L32	672	measur\$4 near3 angle and oscillator near3 frequency and (microprocessor or controller or processor)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 10:04
L33	42	dual near3 antenna\$1 and measur\$4 near3 angle and oscillator near3 frequency and (microprocessor or controller or processor)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 10:04